



UNCLASSIFIED

(U) COGNITIVE SCIENCES PROGRAM

(U) SRI INTERNATIONAL, MENLO PARK

(U) *May 1989*


*CONTAINS S/NF
MATERIAL - SO
MARKED.*

UNCLASSIFIED



(U) OVERVIEW OF PSYCHOENERGETICS

UNCLASSIFIED



UNCLASSIFIED



(U) DEFINITIONS

UNCLASSIFIED

- (U) REMOTE VIEWING (RV)
 - (U) The acquisition of information that would normally not be available because of spatial or temporal distance or shielding.

- (U) REMOTE ACTION (RA)
 - (U) Interaction with matter that would normally not be allowed because of spatial or temporal distance or shielding.

UNCLASSIFIED



(U) REMOTE VIEWING PROTOCOL — A SCHEMATIC

UNCLASSIFIED

TIME	EVENT
10:00	Monitor and Viewer are Sequestered
10:05	Assistant Randomly Selects Photograph from a Set of 100
10:10	Remote Viewing Begins
10:25	Remote Viewing Ends
10:30	Monitor Copies RV Output and Obtains Target Photograph
10:35	Monitor Displays Target Photograph and Copied Response to Viewer

UNCLASSIFIED


*Session judged
Results*

UNCLASSIFIED



(U) GENERAL OUTLINE

UNCLASSIFIED



UNCLASSIFIED



(U) EXISTENCE — APPLIED

~~SECRET~~

- (S/NF) OPERATIONAL UTILITY

~~SECRET~~



(U) EXISTENCE — BASIC

UNCLASSIFIED

- (U) TECHNICAL REVIEWS (META-ANALYSES) *~ EXPLAIN*
 - (U) SRI Cognitive Sciences Program (1972 – 1988)
 - (U) Non-SRI Remote Viewing (1976 – 1988)
 - (U) Random Number Generator Experiments (1969 – 1987)
 - (U) Forced-Choice Precognitive Remote Viewing (1935 – 1987)

UNCLASSIFIED



(U) COGNITIVE SCIENCES PROGRAM 1972-1988 — I

~~SECRET~~

- (U) DATABASE DOMAIN
 - (U) 117 Documents (5025 Pages)
 - (U) All Experiments; Formal and Pilot

- (U) MAJOR RESULTS
 - (S/NF) Across All Experiments, Odds Against Chance Are Better Than 2×10^{20} to 1
 - (S/NF) Magnitude of the Remote Viewing Effect Qualifies as “Large” According to Accepted Behavioral Science Standards
 - (S/NF) Remote Viewing is Repeatable and Robust

Labs
Scientist

~~SECRET~~



(U) COGNITIVE SCIENCES PROGRAM 1972-1988 — II

~~SECRET~~

- (U) RESULTS — SPECIFIC
 - (S/NF) Remote Viewing Does Not Degrade Over Time
 - (S/NF) Quality is Independent of Target Distance or Size
 - (S/NF) Natural Scenes are Significantly Better Targets Than are Symbols or Numbers
 - (S/NF) Electromagnetic Shielding is not Effective
 - (S/NF) Potential Neurophysiological Indicator has Been Identified

~~SECRET~~



(U) NON-SRI REMOTE VIEWING 1976-1988

UNCLASSIFIED

- (U) DATABASE DOMAIN
 - (U) 20 Individual Studies
 - (U) Over 400 Remote Viewing Trials

- (U) MAJOR RESULTS
 - (U) Across All Experiments, Odds Against Chance Are Better Than 2×10^9 to 1
 - (U) Magnitude of the Remote Viewing Effect is Statistically Equivalent to the SRI Results
 - (U) Remote Viewing is Repeatable and Robust

UNCLASSIFIED



(U) RANDOM NUMBER GENERATORS 1969-1987

UNCLASSIFIED

- (U) DEFINITION
 - (U) In Random Number Generator Experiments (RNG) Individuals are Asked to Modify, by Mental Means Alone, the Otherwise Random Output of Hardware Devices

- (U) DATABASE DOMAIN
 - (U) 330 Individual Studies
 - (U) Over 10^9 Binary Bits

- (U) MAJOR RESULTS
 - (U) Across All Experiments, Odds Against Chance Are Better Than 2×10^{17} to 1
 - (U) Magnitude of the RNG Effect is Small According to Accepted Behavioral Standards, but is Repeatable

UNCLASSIFIED



(U) PRECOGNITIVE REMOTE VIEWING 1935–1987

UNCLASSIFIED

- (U) DEFINITION
 - (U) In Forced–Choice Precognitive Remote Viewing Experiments, the Target Material (Numbers or Symbols) is Generated After the Remote Viewing is Completed

- (U) DATABASE DOMAIN
 - (U) 309 Individual Studies
 - (U) Nearly 2×10^6 Separate Trials

- (U) MAJOR RESULTS
 - (U) Across All Experiments, Odds Against Chance Are Better Than 5×10^{29} to 1
 - (U) Magnitude of the Effect is Small According to Accepted Behavioral Standards, but is Repeatable

UNCLASSIFIED



(U) SCREENING FOR HIGH-QUALITY REMOTE VIEWERS

~~SECRET~~

- (U) RESULTS TO DATE
 - (S/NF) Approximately 1% of the General Population Possess a Natural Talent for Remote Viewing
 - (S/NF) Personality and Neuropsychological Variables are Marginally Useful
 - (S/NF) Preliminary Data Suggests that High Scores on the Stanford Hypnotic Susceptibility Scale Indicate Natural Remote Viewing Ability
 - (S/NF) Selecting Sub-populations Significantly Improves Screening Efficiency
 - (S/NF) Preliminary Data Suggests a Possibility of a Neurophysiological Indicator for Natural Remote Viewing Ability

~~SECRET~~



Hypnosis Experiments

- GOALS
 - Confirm previous findings that hypnosis facilitates psi processes.
 - Begin a data base for comparing susceptibility and psi ability.
 - Enhance the RV process and produce higher quality viewings.



Hypnosis Experiments

- PILOT STUDY
 - Experienced hypnotist hired to:
 - ▶ Administer *Stanford Hypnotic Susceptibility Scale*.
 - ▶ Develop individually specific induction and RV protocols.
 - ▶ Conduct hypnosis sessions.
 - Target pool consisted of 200 *National Geographic* photos.
 - One experienced viewer participated in 24 remote viewings, 12 prior to one of two treatment conditions; 6 following a hypnotic induction and 6 following a proof-reading task.



Hypnosis Experiments

- RESULTS
 - No evidence of RV in pre-treatment condition.
 - Significant evidence of RV following hypnosis.



Hypnosis Experiments

- SECOND STUDY
 - RV sessions conducted while in trance.
 - Two viewers participated in 16 trials each.



Hypnosis Experiments

- CURRENT ACTIVITY
 - Used same protocol as pilot study.
 - Two viewers are participating in 20 trials (40 remote viewings) each.
 - One viewer complete shows trend toward enhanced RV in hypnotic condition.



Hypnosis Experiments


- HUMAN USE ISSUES
 - Much sensationalism accompanies media portrayal of hypnotic phenomenon.
 - Hypnosis is a poorly defined term.
 - Hypnosis designated “at risk” by DHEW.
- EXPERIMENTAL STUDIES VS. CLINICAL REPORTS
 - Clinical evidence based on anecdotal reports and opinions with psychiatric populations.
 - Experimental studies use more mentally stable populations, are of relatively short duration, do not elicit emotional responses and use structured and benign hypnotic suggestions and procedures.
 - Experimental studies show hypnotic procedures causing no more harmful aftereffects than common experiences such as taking exams, attending classes, verbal learning and college life in general.



(U) POTENTIAL NEUROPSYCHOLOGICAL SCREENING

~~SECRET~~

(U) NEUROMAGNETIC RESPONSE TO DIRECT LIGHT STIMULI



SECRET/NOFORN

~~SECRET~~



(U) FUTURE APPLIED RESEARCH — SCREENING

~~SECRET~~

- (U) CONFIRM NEUROPHYSIOLOGICAL RESULTS
- (U) CONFIRM HYPNOTIC SUSCEPTIBILITY RESULTS
- (U) SCREEN SPECIFIC POPULATIONS
- (S/NF) TEST SELECTED INDIVIDUALS UNDER OPERATIONAL CONDITIONS

~~SECRET~~



(U) IMPROVING REMOTE VIEWING QUALITY

~~SECRET~~

- (U) RESULTS TO DATE
 - (S/NF) Significant Improvement has Been Observed in Remote Viewing of Symbols (Single Viewer)
 - (S/NF) Qualitative Evidence for Improvement in Remote Viewing of Visual or Natural Targets
 - (S/NF) No Decline of Ability Over Time
 - (S/NF) A Preliminary Neurophysiological Correlate to Remote Viewing Suggests the Possibility of Conditioning for Improved Quality

~~SECRET~~



(U) FUTURE APPLIED RESEARCH — TRAINING

SECRET

- (U) REVIEW EARLIER TRAINING PROTOCOLS FROM AN EXPERIMENTAL PSYCHOLOGY PERSPECTIVE
 - (U) Develop Quantitative Testing Procedures
 - (U) Suggest Improvements to Existing Protocols
 - (S/NF) Create and Verify (Under Operational Conditions) New Training Procedures
- (U) VERIFY NEUROPHYSIOLOGICAL CORRELATE
- (S/NF) DETERMINE IF NEUROPHYSIOLOGICAL CONDITIONING IMPROVES QUALITY OF OPERATIONAL DATA


SECRET



(U) NEUROPHYSIOLOGY PROTOCOL — I

UNCLASSIFIED

- (U) ISOLATED VIEWER
- (U) REMOTE LIGHT STIMULUS
- (U) MONITORING MAGNETIC ACTIVITY OF THE BRAIN



UNCLASSIFIED


UNCLASSIFIED



(U) NEUROPHYSIOLOGY PROTOCOL — II

UNCLASSIFIED

- (U) SINGLE RUN TIMING — 120 SECONDS




- (U) 10 RUNS OF APPROXIMATELY 100 TRIALS
- (U) SIGNAL AVERAGE ± 0.5 SECONDS
- (U) POWER SPECTRUM FOR PRE- AND POST-STIMULUS

UNCLASSIFIED

SECRET

(U) POWER SPECTRA: -0.5 TO +0.5 SECONDS FROM REMOTE STIMULI - V002, 8/25/88




SECRET/NOFORN

SECRET

SECRET

(U) POWER SPECTRA: -0.5 TO +0.5 SECONDS FROM PSEUDO STIMULI - V002, 8/25/88



SECRET/NOFORN

SECRET



(U) REMOTE VIEWING ANALYSIS — PROBLEM

SECRET

- (U) PROVIDE QUANTITATIVE ASSESSMENT OF REMOTE VIEWING RESPONSES UNDER TWO SITUATIONS
 - (U) Laboratory Experiments – Targets Known
 - (S/NF) Operations – Targets Generally Unknown

SECRET



(U) REMOTE VIEWING ANALYSIS — DEFINITIONS

UNCLASSIFIED

- (U) TARGET A crisp set (T) of attributes derived from a fuzzy set with a specified alpha-cut and mission definition (e.g., visual impact on scene).
- (U) RESPONSE A fuzzy set (R) of attributes defined as an analyst's estimate of presence or absence from the response.


UNCLASSIFIED



(U) FUZZY SET ATTRIBUTE EXAMPLE

UNCLASSIFIED

FUZZY SET THEORY — AN ATTRIBUTE



UNCLASSIFIED



(U) FIGURE OF MERIT (FM) — DEFINITIONS

UNCLASSIFIED

- (U) ACCURACY Percent of target described correctly.
- (U) RELIABILITY Percent of response that is correct.
- (U) FM Accuracy times reliability.

UNCLASSIFIED




(U) FIGURE OF MERIT (FM) — SETS


UNCLASSIFIED

ATTRIBUTE SPACE


SET THEORY




Reliable But Imprecise
Low Figure-of-Merit



Accurate But Noisy
Low Figure-of-Merit




Reliable and Accurate
High Figure-of-Merit

Target 


Response 

Overlap 


UNCLASSIFIED




• SOME KIND OF GUN.




SG1A







SG1A



SECRET




SG1A



SECRET


SECRET

- GROUND FOCAL AREA.
- SPECIFICALLY LAID OUT FOR "CATCHING" SOMETHING "EVENLY".



• MARKED WITH ROMAN OR GREEK LETTERS.

SG1A



SECRET/NOFORN

(S/NF) FIGURE 4 VIEWER 372: POSSIBLE RESPONSE TO THE SOLAR FACILITY

SECRET

SG1A

Approved For Release 2000/08/08 : CIA-RDP96-00789R002200510001-1

Approved For Release 2000/08/08 : CIA-RDP96-00789R002200510001-1



(U) SIMULATED OPERATIONAL APPLICATION — RESULTS

SECRET

Element Type	N	$ T \cap R $	$ T $	$ R $	Acc.	Rel.	M
FUNCTIONS	8	10.00	11.40	12.43	0.88	0.80	0.70
RELATIONSHIPS	16	15.25	21.95	23.65	0.69	0.64	0.44
OBJECTS	48	46.70	56.70	73.42	0.82	0.64	0.52
TOTAL	72	-	-	-	0.80	0.71	0.57

SECRET/NOFORN

SECRET



(U) DECISION AUGMENTATION — A HEURISTIC MODEL

- (U) MANY COMPLEX INPUTS TO A DECISION
 - (U) Real-time Information
 - (U) Past Experience
 - (U) Intuition
 - (U) Others

- (U) THE MODEL PROPOSES ONE ADDITIONAL INPUT
 - (U) A Weak Statistical Bias Which is Mediated by Some Form of Psychoenergetic Functioning



(U) EVIDENCE FOR PRECOGNITION

UNCLASSIFIED

- (U) META-ANALYSIS OF FORCED-CHOICE EXPERIMENTS
 - (U) 309 Experiments
 - (U) 62 Senior Authors
 - (U) 50,000 Subjects
 - (U) 2 Million Individual Trials
 - (U) 52 Years
- (U) METHOD
 - (U) “File Drawer” — Experiments Not Published
 - (U) 8-Point Quality Rating — Blinds, Controls, etc.
- (U) OVERALL RESULTS
 - (U) Combined Effect of 11.4σ
 - (U) No Correlation With Quality
 - (U) Experiment Quality Correlates With Year-of-Publication
 - ▶ (U) $r = 0.239$, $df = 307$, $p \leq 7.2 \times 10^{-5}$

UNCLASSIFIED



(U) BINARY RANDOM NUMBER GENERATOR — PROTOCOL

UNCLASSIFIED


- (U) SINGLE BUTTON PRESS
- (U) COLLECT N BINARY BITS
 - (U) Task is to “Force” as Many 1’s as Possible
- (U) CALCULATE SCORE

UNCLASSIFIED




(U) Z-SCORE DISTRIBUTION WITH "FILE DRAWER"

UNCLASSIFIED



Data (330 Studies)



Data with 2-Gaussian Fit

UNCLASSIFIED



(U) DECISION AUGMENTATION — CONCEPTS

UNCLASSIFIED

- (U) THREE POSSIBLE OBSERVATIONS OF THE DATA
 - (U) Nothing is Happening — Mean Chance Expectation
 - (U) Causal Interaction — Remote Action
 - (U) Informational Interaction — Precognition
 - ▶ (U) Individuals are Able to Anticipate the Locally Deviant Sub-sequences

- (U) ASSUMPTIONS
 - (U) MCE—Unperturbed Parent and Sampling Distributions
 - (U) RA—Slightly Perturbed Parent Distribution
 - (U) Unperturbed Parent and Biased Sampling Distribution

UNCLASSIFIED




(U) DECISION AUGMENTATION — FORMULATION

UNCLASSIFIED

- (U) PROBLEM: TO CALCULATE $E(Z^2)$ FOR EACH CONCEPT

	<u>MCE</u>	<u>Causal</u>	<u>Informational</u>
$E(Z^2)$	1	$1 + a^2 n$	$\mu_Z^2 + \sigma_Z^2$




UNCLASSIFIED



(U) RNG DATA — 1984

UNCLASSIFIED



UNCLASSIFIED



(U) PHYSICS SPECULATION ON PRECOGNITION — II

UNCLASSIFIED

- (U) MUST BE ENERGY TRANSFER WITH INFORMATION TRANSFER

- (U) ENTROPY CONCEPTS ARE VALID
 - (U) Anecdotal Observations
 - ▶ (U) High Changes of Entropy are Viewed More Easily
 - ▶ (U) Dynamic Targets (e.g., video tape) are Viewed More Easily Than Static Photographs
 - ▶ (U) Natural Site are Viewed More Easily Than Static Photographs

UNCLASSIFIED



(U) PHYSICS SPECULATION ON PRECOGNITION — I

UNCLASSIFIED

- (U) SECOND LAW IS VALID
 - (U) At Micro-level
 - (U) In the Classical World
 - (U) Cosmological (i.e., Surface Areas of Black Holes)
- (U) PRECOGNITION IS VALID
 - (U) Meta-analysis and Other Evidence
- (U) THEREFORE PRECOGNITION MUST BE A STOCHASTIC PROCESS

UNCLASSIFIED